

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1358	370/238.ccls. 370/351.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L2	13165	(requir\$6 guarant\$4 provid\$4) same (quality near5 service qos)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L3	249	1 and L2	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L4	1099	graph same (router\$1 network link\$1) same rout\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L5	88	1 and L4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L6	34	1 and l2 and l4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L7	21	(calculat\$4 determin\$4) near15 delay same router same queu\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L8	0	1 and L7	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L9	204681	(identif\$4 determin\$4 select\$4) near15 (path\$1 link\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L10	827	1 and L9	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L11	194	3 and 10	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
S1	2521	709/241.ccls. 709/238.ccls. 709/251.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:22
S2	13165	(requir\$6 guarant\$4 provid\$4) same (quality near5 service qos)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:23
S3	288	S1 and S2	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:24
S4	3334	(determin\$4 calculat\$4) near15 bandwidth same (maximum minimum)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:25

S5	61	S1 and S4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:25
S6	1099	graph same (router\$1 network link\$1) same rout\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:27
S7	204681	(identif\$4 determin\$4 select\$4) near15 (path\$1 link\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:28
S8	150	S2 and S6	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:28
S9	278	router same delay same que\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:28
S10	21	(calculat\$4 determin\$4) near15 delay same router same queu\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	4	maximum near5 bandwidth and minimum near5 bandwidth and maximum near5 delay and maximum near5 (jitter variation) and reliability and data near5 (gather\$4 collect\$4 monitor\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 13:55
S8	70	gateway\$3 near10 security near15 (block\$4 bracket\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/12 16:37
S11	248	gateway\$3 near10 security near10 (prevent\$4 limit\$4 bracket\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/12 16:39
S13	89	gateway\$3 near10 security near10 (section\$4 segment\$ part\$7) same network	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/12 16:39
S20	40	maximum near5 reliability and ("quality of service" qos)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/12 17:18
S25	3458	network near5 location near10 (subscriber\$1 provider\$1 client\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 07:36
S26	169	maximum near15 usage near15 (bandwidth)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 09:13
S27	415	(traffic connection) near10 (one-way "one way") same (two-way "two-way")	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 07:43
S32	1983	type near15 (collect\$4) near15 data and (time period) near15 data near15 collect\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 07:51
S34	1	S26 and S27	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 07:51
S35	27	"6400681"	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 09:26
S37	2	"6584075"	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 09:37
S41	20	(chang\$4 adjust\$4) near15 weight same (utilization usage) and bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 09:58
S45	127	(chang\$4 adjust\$4) near10 weight same (bandwidth)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:12

S47	50	S45 and (rout\$4 communication network).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:35
S49	1	"20010029543" and weight	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:40
S50	758	weight\$3 near10 (adjust\$4 chang\$4) same (usage utilization)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:40
S52	1	weight\$3 near10 (adjust\$4 chang\$4) same (usage utilization) and weight near10 (preferred congest\$4) same (link path network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:42
S53	86	weight\$3 near10 (adjust\$4 chang\$4) same (usage utilization) and weight same (link path network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:46
S54	31	S53 and (network communication rout\$3).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 13:59
S56	5	"5933425" and weight\$3 same (traffic congest\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 13:59
S57	17298	(rout\$4 network communication\$3).ab. and (traffic data) near10 (monitor\$4 collect\$4) and type near10 data	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:14
S58	9934	(rout\$4 network communication\$3).ab. and data near10 collect\$4 and type near10 data	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:35
S59	9898	(qos "quality of service")	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:15
S60	751	S58 and S59	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:16
S62	13150	connection near5 (type\$3 request\$4) same (service description characteristic\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:18
S63	162	S60 and S62	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:18
S64	3857	size near10 data same collect\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:21

S65	3	S64 and S63	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:22
S66	371	S64 and S58	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:28
S67	15	S66 and S59	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:22
S68	54484	network near15 (monitor\$4 analy\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:29
S69	135	S68 and S66	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:29
S70	247	(rout\$4 network communication\$3).ab. and data near10 collect\$4 and type near10 data near15 collect\$4 and data near5 size	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:48
S71	158	S70 and ((qos "quality of service") (traffic network) same (monitor\$4 analy\$4))	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:36
S72	345	(rout\$4 network communication\$3).ab. and data near10 collect\$4 and type near10 data near15 collect\$4 and data near5 (amount size) and ((qos "quality of service") (traffic network) same (monitor\$4 analy\$4))	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:49
S73	187	S72 not S71	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:49
S75	5475	(qos "quality of service" (traffic network) near5 monitor\$4).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/17 10:39
S76	85	S75 and collect\$4 near10 (packet\$3 data) near10 type	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/17 10:39
S77	6	S76 and (rate size amount) near5 data near10 collect\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/17 10:41
S78	144	(communication network\$3).ab. and collect\$4 near10 (packet\$3 data) near10 type and (rate size amount) near5 data near10 collect\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/17 10:45

S81	14972	(two-way bi-directional) same connection	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:40
S82	7116	collect\$4 near10 data same type and (period\$6 size) near15 data	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:36
S89	7407	collect\$4 near10 (packet\$3 data) same type and (period\$6 size) near15 (packet\$1 data)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:37
S90	278	S89 and S81	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:37
S91	162	S90 and (monitor\$4 measur\$4 analy\$6) near15 (network\$1 link\$1 path\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:38
S92	14	S91 and "709"	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:38
S93	750	(one-way) same (two-way bi-directional) same connection	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 18:14
S94	35	S93 and maximum near5 bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:41
S96	80	maximum near5 (bandwidth usage) and collect\$4 near10 (data packet\$1) and collect\$4 near10 (data packet\$1) near10 type and (size period\$6) near10 (data packet\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:55
S10 0	22	parameter\$1 same (one-way) same (two-way bi-directional) same connection	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 18:14
S10 1	181	reserv\$5 same percent\$5 same bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 13:56
S10 2	4	reserv\$5 same percent\$5 same bandwidth same direction	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 15:35
S10 4	483	(determin\$4 calculat\$4) near10 minimum near5 bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 15:40
S10 5	185702	bit\$1 same second\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 15:41
S10 6	138	S104 and S105	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 15:53

S10 7	107	S106 and (queu\$4 delay\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 16:00
S10 8	2376	router same delay\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 16:00
S11 0	143	(control\$4 monitor\$4 manag\$4) near15 router\$1 near15 delay\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 16:04
S11 1	134	queu\$4 near15 router\$1 near15 delay\$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 16:04

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text" value="router"/>	In All Fields	
<input type="text" value="AND"/> <input type="text" value="queue"/>	In All Fields	
<input type="text" value="AND"/> <input type="text" value="delay"/>	In All Fields	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>		

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

<input type="text"/>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

- » Note: You may use the search operators <and> or <or> without the start and end brackets <>.
- » Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEEE Conference Proceedings
- ☒ IEEE Standards

» Select date range☐ Search latest content update (06

- ☒ From year to

» Display Format

- ☒ Citation ☐ Citation & Abstract

» Organize results

- Maximum
- Display results per page
- Sort by
- In order

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE - All rights reserved.

indexed by



Advanced Search

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text" value="bandwidth"/>	In All Fields		
AND	<input type="text" value="graph"/>	In All Fields	
AND	<input type="text" value="router"/>	In All Fields	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>			

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

<div><div></div></div>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications**Ⓐ Select publications**

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceeding
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Select date range

☐ Search latest content update (06

☒ From year to

» Display Format

☒ Citation ☐ Citation & Abstract

» Organize results

Maximum

Display results per page

Sort by

In order

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE - All rights reserved.



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

Advanced Search

[? Search](#)
[Tips](#)

Enter words, phrases or names below. Surround phrases or full names with double quotation marks.

Desired Results:

must have all of the words or phrases

must have any of the words or phrases

must have none of the words or phrases

Name or Affiliation:Authored by: ☒ all ☐ any ☐ noneEdited by: ☒ all ☐ any ☐ noneReviewed by: ☒ all ☐ any ☐ none**Only search in:**☐ Title ☐ Abstract ☐ Review ☒ All Information

*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ☒ Exact ☐ ExpandDOI: ☒ Exact ☐ Expand**Published:**By: ☒ all ☐ any ☐ noneIn: ☒ all ☐ any ☐ none

Since:

Month Year

Before:

Month Year As: **Conference Proceeding:**

Sponsored By:

Conference Location:

Conference Year:

 yyyyClassification: ☒ CCS ☐ Primary OnlyClassified as: ☒ all ☐ any ☐ noneSubject Descriptor: ☒ all ☐ any ☐ noneKeyword Assigned: ☒ all ☐ any ☐ none**Results must have accessible:**☐ Full Text ☐ Abstract ☐ Review



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

Advanced Search

[? Search](#)
[Tips](#)

Enter words, phrases or names below. Surround phrases or full names with double quotation marks.

Desired Results:

must have all of the words or phrases

must have any of the words or phrases

must have none of the words or phrases

Name or Affiliation:Authored by: ☒ all ☐ any ☐ noneEdited by: ☒ all ☐ any ☐ noneReviewed by: ☒ all ☐ any ☐ none**Only search in:**☐ Title ☐ Abstract ☐ Review ☒ All Information

*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ☒ Exact ☐ ExpandDOI: ☒ Exact ☐ Expand**Published:**By: ☒ all ☐ any ☐ noneIn: ☒ all ☐ any ☐ none

Since:

Month Year

Before:

Month Year As: **Conference Proceeding:**

Sponsored By:

Conference Location:

Conference Year:

 yyyyClassification: ☒ CCS ☐ Primary OnlyClassified as: ☒ all ☐ any ☐ noneSubject Descriptor: ☒ all ☐ any ☐ noneKeyword Assigned: ☒ all ☐ any ☐ none**Results must have accessible:**☐ Full Text ☐ Abstract ☐ Review

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

Advanced Search

[? Search](#)
[Tips](#)

Enter words, phrases or names below. Surround phrases or full names with double quotation marks.

Desired Results:

must have all of the words or phrases

must have any of the words or phrases

must have none of the words or phrases

Name or Affiliation:Authored by: ☒ all ☐ any ☐ noneEdited by: ☒ all ☐ any ☐ noneReviewed by: ☒ all ☐ any ☐ none**Only search in:***☐ Title ☐ Abstract ☐ Review ☒ All Information

*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ☒ Exact ☐ ExpandDOI: ☒ Exact ☐ Expand**Published:**By: ☒ all ☐ any ☐ noneIn: ☒ all ☐ any ☐ none

Since:

Before:

 As: **Conference Proceeding:**

Sponsored By:

Conference Location:

Conference Year:

 yyyyClassification: ☒ CCS ☐ Primary OnlyClassified as: ☒ all ☐ any ☐ noneSubject Descriptor: ☒ all ☐ any ☐ noneKeyword Assigned: ☒ all ☐ any ☐ none

Results must have accessible:

☐ Full Text ☐ Abstract ☐ Review



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

graph bandwidth router maximum minimum

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 114,000 for **graph bandwidth router maximum minimum**. (0.24 seconds)

[\[PDF\] Routing restorable bandwidth guaranteed connections using maximum ...](#)

File Format: PDF/Adobe Acrobat

mance by routing using the minimum interference criteria. Note ... routing of bandwidth guaranteed tunnels with MPLS traffic engineering ...

portal.acm.org/ft_gateway.cfm?id=948935&type=pdf - [Similar pages](#)

[Index](#)

... MINIMUM BANDWIDTH | MINIMUM GRAPH INFERENCE; channel assignment: MAXIMUM CHANNEL

... routing problems: Routing Problems to MAXIMUM QUADRATIC ASSIGNMENT ...

www.nada.kth.se/~viggo/wwwcompendium/node276.html - 71k - [Cached](#) - [Similar pages](#)

[A.4. Bandwidth Usage](#)

Immediately below the graph is the data which provides the maximum, average and current usage for the ... An average and minimum are recorded on the graph. ...

education.qld.gov.au/schools/ mis/adminmanual/bandwidthusage.html - 16k - [Cached](#) - [Similar pages](#)

[Chapter 7: Network Bandwidth Considerations](#)

The following graph shows bandwidth spikes, which occurred for the following reasons

... Minimum and maximum bandwidth: 0-79 Kbps; Average bandwidth: 7 Kbps ...

www.microsoft.com/windows/NetMeeting/ Corp/reskit/Chapter7/default.asp - 113k - [Cached](#) - [Similar pages](#)

[\[PDF\] Minimum interference routing of bandwidth guaranteed tunnels with ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

We develop new algorithms for routing bandwidth guaran- ... Minimum Interference Routing Algorithm. (MIRA). INPUT: A graph. and a set. of residual ...

www.ecse.rpi.edu/homepages/koushik/mypapers/jsac00.pdf - [Similar pages](#)

[\[PDF\] Routing Restorable Bandwidth Guaranteed Connections using Maximum ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Routing Restorable Bandwidth Guaranteed. Connections using Maximum 2-Route Flows ... performance by routing using the minimum interference crite- ...

www.ecse.rpi.edu/homepages/ koushik/mypapers/infocom02.pdf - [Similar pages](#)

[Path Selection](#)

bw: the maximum available bandwidth on the path (with h hops). ... S is updated using a path through router V, only if the minimum of the bandwidth of the h ...

www.opalsoft.net/qos/Q-OSPF-50.htm - 17k - [Cached](#) - [Similar pages](#)

[Monitor Traffic](#)

For details on creating a report in this screen, see Create a Graph. ...

The minimum and maximum amount of bandwidth allocated for a class subtree. ...

support.packeteer.com/documentation/ packetguide/current/nav/tasks/monitor/monitor-traffic.htm - 21k -

[Cached](#) - [Similar pages](#)

[Network Bandwidth Monitor Tool, Network Traffic Monitoring ...](#)

The Percentage Utilization graphs display the Received Utilization and the ...

The maximum, minimum, and average values, are also displayed for each of the ...

manageengine.adventnet.com/products/ oputils/help/network/bandwidth_monitor_tool.html - 14k -

[Cached](#) - [Similar pages](#)

Network Performance Monitor Tool, Network Performance Monitoring ...

... and transmitted **bandwidth** utilization of the Interface in **graph**. The **maximum**, **minimum** and the average received and transmitted **bandwidth** utilization in ...
manageengine.adventnet.com/products/ oputils/help/network/performance_monitor_tool.html - 16k -
Cached - Similar pages

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

Free! Google Desktop Search: Search your own computer. Download now.

Find:  emails -  files -  chats -  web history -  media -  PDF

graph bandwidth router maximum m **Search**

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about 22,600 for **reserve percentage bandwidth buffer traffic**. (0.29 seconds)

Citations: Effective bandwidth of general Markovian traffic ...

... this: Fixed strategy: One simple strategy is to reserve a fixed percentage of

... Techniques for computing the effective bandwidth for different traffic ...

citeseer.csail.mit.edu/context/35262/0 - 58k - [Cached](#) - [Similar pages](#)

Low Latency Queueing with Priority Percentage Support [Cisco IOS ...

If the incoming high priority traffic exceeds the bandwidth percentage calculated

... ip rtp reserve. Reserves a special queue for a set of RTP packet flows ...

www.cisco.com/en/US/products/sw/iosswrel/ps1839/products_feature_guide09186a0080087af0.html - 132k -

[Cached](#) - [Similar pages](#)

Cisco - Network Flow Management

Applications must trade off the amount of available buffer against the network's

... These may crowd out other traffic by reducing its available bandwidth, ...

www.cisco.com/warp/public/614/18.html - 26k - [Cached](#) - [Similar pages](#)

Queue Profiles

... so that high bandwidth consumers cannot starve out moderate traffic ...

It is unnecessary and wasteful to reserve buffer space for all queues when many ...

www.juniper.net/techpubs/software/erx/junose61/swconfig-policy-qos/html/qos-config7.html - 18k -

[Cached](#) - [Similar pages](#)

Active Projects

In a non-hostile environment, all nodes should cooperate in bandwidth ... buffer,

the induced delay, the speed of transmission, and the percentage of data ...

www.comm.toronto.edu/~valaee/wirlab/activeprojects.htm - 24k - [Cached](#) - [Similar pages](#)

[PDF] Support for Real-Time Traffic in the Internet, and QoS Issues

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

due to buffer overflow? • Bandwidth Allocation for Real-Time Traffic What ...

the session layer protocols may reserve a certain percentage of workstation ...

www.utdallas.edu/~mmohsin/projects/QoS.pdf - [Similar pages](#)

[PDF] Effects of Filler Traffic in IP Networks

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

over this "filler" traffic, allowing the network to use this bandwidth as if ...

For example, if the filler buffer is very small, then the majority of the ...

vorlon.cwru.edu/~vx111/papers/dimacs_filler.pdf - [Similar pages](#)

IBM Networking | NCP and 3745/46 Today | Summer 2001

IntServ is appropriate for traffic types that require bandwidth and delay ...

For applications that need to explicitly reserve bandwidth through RSVP using ...

www.networking.ibm.com/nhd/webnav.nsf/pages/375:summer2001:article17.html - 51k - [Cached](#) - [Similar pages](#)

[PDF] A novel capacity maximization scheme for multimedia wireless ATM ...

File Format: PDF/Adobe Acrobat

partial traffic delivery and WATM cell drops in a buffer. ... percentage of the

total bandwidth is increased, in Fig. 8. and Fig. ...

ieeexplore.ieee.org/iel5/6849/18409/00851572.pdf?arnumber=851572 - [Similar pages](#)

Wi-Fi QoS is finally appearing

... access point to **reserve some bandwidth** to deal with handoffs of ongoing calls.

This bandwidth buffer would be adjustable and set by network executives ...

www.techworld.com/features/index.cfm?featureID=1369&printerfriendly=1 - 13k - Cached - Similar pages

Digitized by Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Google Desktop Search: Search your own computer. Download now.

Find:  emails -  files -  chats -  web history -  media -  PDF

reserve percentage bandwidth buffer Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google